Patient label

Clostridium difficile Testing Checklist

(Answer the questions below to determine if *C.difficile* testing is indicated.)

Does patient have ≥3 loose/liquid bowel movements a day?			
	□ Yes	\square No \rightarrow	C.difficile testing is NOT recommended.
Has patient received laxative, bowel prep, and/or enema within the past 48 hours?			
	□No	bowel	• <i>C.difficile</i> testing is NOT recommended. Hold laxative, prep and/or enema for minimum of 48hrs and assess for tion of diarrhea prior to <i>C.difficile</i> testing.
Does stool conform to the shape of the container (liquid)?			
	□Yes	□ No→	Do not send specimen, lab will reject.
Has patient had a <u>negative</u> <i>C.difficile</i> stool sample in the past seven (7) days?			
	□No	□ Yes→ stop	Do not send specimen, lab will reject. Look for other cause of diarrhea.
Has patient had a <u>positive</u> <i>C.difficile</i> stool sample in the past 30 days?			
	□No	□ Yes→	Do not send specimen, lab will reject. Do not test for cure.
Action taken:			
 C.difficile testing indicated and sample sent (send checklist with specimen to lab) C.difficile testing NOT indicated, prescriber notified and test order canceled (fax checklist to x6807) Other			
Comments:			